




**Essential Smartbright Wide Batten  
BN005C  
Product Launch Deck**



# Essential Smartbright wide Batten: BN005C

## Safe & Reliable



### *Unique selling point*

- **20,000 Hours, 2 Years warranty**
- **Efficacy: 100 Lm/Watt**
- 3000/4000/6500K CCT
- Excellent colour rendering capability - **CRI 80+**
- **IP20, IK03**

# Essential Smartbright wide Batten : BN005C

## Safe & Reliable





# Essential Smartbright wide Batten: BN005C

## Spec Sheet

	L600	L1200
Lumen output (typ.Avg)	1600 Lm	3000 Lm
lumen output tolerance (+/-)	± 10%	
Power consumption (system)	16W±10%	30W±10%
System Efficacy	100 Lm/Watt	
CCT	3000K/4000K/6500K	
CRI	80 (Ra)	
SDCM	≤6	
Input Voltage and Frenquency	220-240V;50/60Hz	
Safety Class (driver+system)	Class II	
Power Factor (system)	>0.9	
Surge Protection	According to CB minimum requirements	
IPxx	IP20	
IKxx	IK03	
Housing material	PC	
Cover material (Diffuser)	PC	
Size (LxWxH)	600mm*70mm*27mm	1200mm*70mm*27mm
Power connection	flying wire 200mm outside	
Color(s) (and RAL code)	光扩散灯罩+RAL9003,ΔE<2.5	
Packaging concept	color box, 50 in 1 for outer box	color box, 40 in 1 for outer box
Operating temperature range	-20°C - +40°C	
Lifetime	20000h@L70B50@ta25	
Warranty	2 Yrs	
Approbation	CB, CE, CCC	
Ta	25°C	
RoHS/REACH	OK	
Accessories	Screws and expansion plugs and 201 stainless steel fixing brackets are packed in PE bags. Zinic screws 2pc expension plug 2pc clip 2pc(sus201) plastic bag 1pc	

# Essential Smartbright wide Batten: BN005C

## Dimensional Drawing



# Essential Smartbright wide Batten: BN005C Packaging



Color Packaging for both GC and GM

# Essential Smartbright wide Batten: BN005C Orderbook

12NC	AG	CAG	EOC	HSCode	ProductDescription	AvailableToCountry	with FC Leadtime	without FC leadtime	MOQ	Outerbox (PiecesPer)	ConsumerUnit(EAN)	Outerbox(EAN)	MAG
911401827581	2584	258411	871016336980899	94051000	BN005C LED15/WW L600 PSU GM	GM	3 weeks	6 weeks	100	50	8710163369808	8710163369884	B25
911401827481	2584	258411	871016336979299	94051000	BN005C LED15/CW L600 PSU GM	GM	3 weeks	6 weeks	100	50	8710163369792	8710163369877	B25
911401827381	2584	258411	871016336978599	94051000	BN005C LED15/NW L600 PSU GM	GM	3 weeks	6 weeks	100	50	8710163369785	8710163369860	B25
911401827281	2584	258411	871016336977899	94051000	BN005C LED30/WW L1200 PSU GM	GM	3 weeks	6 weeks	120	40	8710163369778	8710163369853	B25
911401827181	2584	258411	871016336976199	94051000	BN005C LED30/CW L1200 PSU GM	GM	3 weeks	6 weeks	120	40	8710163369761	8710163369846	B25
911401827081	2584	258411	871016336975499	94051000	BN005C LED30/NW L1200 PSU GM	GM	3 weeks	6 weeks	120	40	8710163369754	8710163369839	B25
911401826981	2584	258411	692382863921199	94051000	BN005C LED15/WW L600 PSU GC	GC	3 weeks	6 weeks	100	50	6923828639211	6923828639273	B25
911401826881	2584	258411	692382863920499	94051000	BN005C LED15/CW L600 PSU GC	GC	3 weeks	6 weeks	100	50	6923828639204	6923828639266	B25
911401826781	2584	258411	692382863919899	94051000	BN005C LED15/NW L600 PSU GC	GC	3 weeks	6 weeks	100	50	6923828639198	6923828639259	B25
911401826681	2584	258411	692382863918199	94051000	BN005C LED30/WW L1200 PSU GC	GC	3 weeks	6 weeks	120	40	6923828639181	6923828639242	B25
911401826581	2584	258411	692382863917499	94051000	BN005C LED30/CW L1200 PSU GC	GC	3 weeks	6 weeks	120	40	6923828639174	6923828639235	B25
911401826481	2584	258411	692382863916799	94051000	BN005C LED30/NW L1200 PSU GC	GC	3 weeks	6 weeks	120	40	6923828639167	6923828639228	B25

Signify