



TBS068 TLED version

Functional recessed mounted luminaire for TLED with wide range of optics. The luminaire fits in modular standard (600mm) in visible profile ceilings.



Benefits

- Bright & Comfort
- Suits many lighting applications
- High Quality Finishing

Features

- The housing is made from high-quality cold-rolled metal, which is solid and benefits a long-time application.
- The reflector is paraboloid, which contributes to even and less glaring light.
- The reflector adopts spring clip for easy installation and maintenance



Applications

- Office spaces
- Discount Stores
- Supermarket
- Public areas



PHILIPS

TBS068

Specifications

Product Family		TBS068 2ft	TBS068 4ft
Optical	Light source	NA	
	Lumen output	NA	
	CCT	NA	
	CRI	NA	
	SDCM	NA	
	Photometric	NA	
Electrical	Input Voltage	220-240V;50/60Hz	
	LED tube Wattage	Max.10W	Max.20W
	Power Factor	NA	
	Surge Protection	NA	
	Flicker	NA	
	Control	NA	
System Efficiency		NA	
Life time		1 year Warranty (without LED tube)	
Operating temperature		Ta: 25°C	
IP		IP20	
IK		NA	
Application metrix		Office	
Louver&Optics		G2,M2*	
Installation		Recessed	
Dimension		3XTLED:597mmx597mmx75mm 4XTLED:597mmx597mmx75mm	2XTLED:1197mmx297mmx75mm 3XTLED:1197mmx597mmx75mm
Package information		2in1 industry package	
Class		Class I	
Certificate&Approbation		NA	
Other requirement		Philips EcoFit SO 2ft Philips EcoFit HO 2ft Philips Essential SO 2ft Philips Master HO 2ft Philips Master HO THD< 10% 2ft	Philips EcoFit SO 4ft Philips EcoFit HO 4ft Philips Essential SO 4ft Philips Essential HO 4ft Philips Master SO 4ft Philips Master HO 4ft Philips Master UO 4ft Philips Master HO THD< 10% 4ft
EMC&EMI&Harmonic		EMC&EMI&Harmonic performance depends on LED tubes performance, if customer have relevant requirements, please consult Philips distributor.	

*G2=pre-anodized specular aluminium,
M2= pre-anodized matt aluminium

Ordering information

Commercial Code (12NC)	Product Description
911401500351	TBS068 2xTLED W30L120 M2
911401500451	TBS068 3xTLED W60L60 M2
911401500551	TBS068 2xTLED W30L120 G2
911401500651	TBS068 3xTLED W60L60 G2
911401501451	TBS068 3xTLED W60L120 G2
911401501551	TBS068 4xTLED W60L60 M2
911401501651	TBS068 3xTLED W60L120 M2
911401501751	TBS068 4xTLED W60L60 G2
